
RECOVERY STRATEGY FOR CALIFORNIA COHO SALMON (ONCORHYNCHUS KISUTCH)

Report to the California Fish and Game Commission

August 2003





California Department of Fish and Game The Resources Agency State of California

State of California The Resources Agency Department of Fish and Game

RECOVERY STRATEGY FOR CALIFORNIA COHO SALMON

Report to the California Fish and Game Commission

Prepared by
The California Department of Fish and Game

Species Recovery Plan Report 2003-1

August 2003

Acknowledgements

the Department's development of this recovery strategy for coho salmon in California. Members and alternates of the teams contributed valuable information and time to the process. We gratefully acknowledge Sandra Rennie and Robert Barrett and Carolyn Penny for facilitating the Statewide and Shasta-Scott recovery teams, respectively. Sandy Guldman, Barbara Leitner, and Doug Donaldson provided invaluable support for both teams. We would also like to thank the many others who provided information and knowledge to both recovery teams and to the Department during the development of the recovery strategy.

RECOVERY TEAM MEMBERS AND ALTERNATES

CRT - California statewide team; SSRT - Shasta~Scott team; *Members in italics*.

Charlotte Ambrose - CRT, NOAA Fisheries

Terry Anderson - SSRT, Recreational Angling

Martin Andreas - SSRT, Save Our Shasta and Scott River Valleys and Towns

Jean Baldrige - CRT, Entrix Environmental Consulting

Craig Bell - CRT, Sierra Club

William Bennett - SSRT, Department of Water Resources

Gary Black - SSRT, Scott River Watershed Council

Joe Blum - CRT, NOAA Fisheries

Mike Bryan - SSRT, Scott River Watershed Council

Greg Bryant - SSRT, NOAA Fisheries

Steve Burton - SSRT, Department of Fish and Game

Chris Collison - CRT, Department of Transportation

James DePree - SSRT, Siskiyou County

Phillip Detrich - SSRT, U.S. Fish and Wildlife Service

Walter Duffy - CRT, Humboldt State University

Lawrence Dwight - CRT, California Cattlemen's Association

Leslie Friedman Johnson - CRT, The Nature Conservancy

Don Flickinger - SSRT, NOAA Fisheries

Dan Gale - CRT, Yurok Tribe

Richard Gienger - CRT, Sierra Club

Pam Giacomini - CRT, California Farm Bureau

Stan Griffin - CRT, California Trout

Blair Hart - SSRT, Shasta Valley Resource Conservation District

Vivian Helliwell - CRT, Pacific Coast Federation of Fishermen's Associations

Steve Herrera - CRT, State Water Quality Control Board

Dave Hillemeier - CRT, Yurok Tribe

Don Howell - SSRT, Siskiyou Resource Conservation District

George Kautsky - CRT, Hoopa Tribe

Curtis Knight - SSRT, California Trout

Kallie Kull - CRT, FishNet 4C

Liz Lewis - CRT, FishNet 4C

Dean Lucke - CRT, Department of Forestry and Fire Protection

Mark Lancaster - CRT, Five Counties

Craig Martz - SSRT, Department of Fish and Game

Deborah McKee - CRT, Department of Transportation

Wendy Millet - CRT, The Nature Conservancy

R. Howard Moody - SSRT, Siskiyou County Larry Moss - CRT, Smith River Alliance

Gail Newton - CRT, Department of Fish and Game

Mike Orcutt - CRT, Hoopa Tribe

Peter Parker - CRT, Forest Landowners of California

Randy Poole - CRT, Sonoma County Water Agency

Mark Rentz - CRT, California Forestry Association

Mary Roehrich - SSRT, Mt. Shasta Area Audubon

Dwight Russell - SSRT, Department of Water Resources

Kevin Shaffer - CRT, Department of Fish and Game

Jennifer Silveira - SSRT, U.S. Fish and Wildlife Service

Jimmy Smith - CRT, Pacific Coast Federation of Fishermen's Associations

Lisa Thompson - SSRT, U.C. Davis Cooperative Extension

Stephanie Tom Coupe - CRT, Department of Fish and Game

Dave Webb - SSRT, Shasta River Coordinated Resource Management Plan

Dan Weldon - CRT, Forest Landowners of California

Tom Weseloh - CRT, California Trout

Bill Yeates - CRT, Smith River Alliance

ACKNOWLEDGEMENTS 8/15/03

Executive Summary

n August 30, 2002, the California Fish and Game Commission (Commission) found that coho salmon (*Oncorhynchus kisutch*) warranted listing as an endangered species under the California Endangered Species Act (CESA) from San Francisco north to Punta Gorda and as a threatened species from Punta Gorda to the California-Oregon border. The division of coho salmon in California follows the federal designation of Evolutionary Significant Units (ESU); the California Central Coast (CCC) Coho ESU and the Southern Oregon-Northern Coastal California (SONCC) Coho ESU. Rather than proceeding immediately with regulatory action, the Commission, pursuant to Fish and Game Code (FGC) section 2114, directed the Department of Fish and Game (Department) to prepare a recovery strategy for coho salmon within 12 months (pursuant to FGC §2105 et seq.)

The Department issued a report to the Commission describing the status of coho salmon north of San Francisco Bay. Available information indicates that coho salmon from San Francisco Bay to the Oregon border have experienced a significant decline in the past 40 to 50 years. Coho salmon abundance, including hatchery stocks, is currently 6 to 15% of their abundance during the 1940s. Coho salmon harvest decreased considerably in the late 1970s, despite a fairly stable rate of hatchery production. Recent abundance-trend information for several stream systems along the central and north coasts indicate an overall declining trend throughout California.

In accordance with the Comimission's direction, the Department established a 21-member California Statewide Coho Salmon Recovery Team (CRT) and a 12-member local coho salmon recovery team (SSRT) focusing on agricultural water and land uses in the Shasta and Scott river valleys. Both teams brought together people with various concerns and perspectives. The two teams aided the Department in development of a single strategy to recover coho salmon throughout its range in California.

The fundamental and statutorily required goal of this recovery strategy is to return coho salmon to level of sustained viability while protecting the genetic integrity of both ESUs, such that regulations or other protections under the California Endangered Species Act (FGC §2050 et seq.) are not necessary. The Department defines sustained viability as a future condition when naturally producing coho salmon are sufficient in abundance and in sufficient range and distribution to ensure

ES-1

against extinction due to environmental fluctuation, stochastic events, and human land use impacts while allowing for incidental mortality of coho salmon and coho salmon by-catch associated with well-regulated ocean and recreation fisheries for other species of anadromous salmonids.

The recovery strategy has an additional goal to achieve harvestable populations of coho for tribal, recreational, and commercial fisheries.

GEOGRAPHIC SETTING

Coho salmon occur naturally in the northern Pacific Ocean and tributary drainages. It ranges in freshwater drainages from Hokkaido, Japan, and eastern Russia, around the Bering Sea and Aleutian Islands to mainland Alaska, and south along the North American coast to Monterey Bay, California. Within California, coho salmon historically ranged from the Oregon-California border, including the Winchuck and Illinois River watersheds, south to the streams of northern Monterey Bay, including small tributaries to San Francisco Bay.

Two coho salmon ESUs occur partially or entirely within California. The California portion of the SONCC ESU occurs in twelve California watersheds from Punta Gorda north to the Oregon border. The CCC ESU occurs entirely in six watersheds from Santa Cruz north to Punta Gorda.

RECOVERY GOALS

To achieve the fundamental and statutorily required goal of the recovery strategy, coho salmon must first reach the point where the regulations or other protections for coho salmon listed under CESA are not necessary, and the species may be delisted. The CRT requested, and the Department agreed, to an additional goal of restoring tribal, recreational, and commercial coho salmon fisheries in California (restoring fisheries). Improving coho salmon populations and habitat is the means to achieve these two objectives.

Five criteria have been identified to achieve delisting:

- I. Maintain and protect the number and size of key populations of coho salmon.
- II. Maintain and increase the number of spawning adults and maximize freshwater and estuary survival of juveniles in basins to a level that reduces the probability of extinction to an insignificant level.
- III. Maintain and increase the range and distribution of coho salmon to a level that reduces the probability of extinction of an ESU to an insignificant level.
- IV. Maintain and protect habitat essential for coho salmon.

V. Maintain, improve, and restore coho salmon habitat to a level that reduces the probability of extinction to an insignificant level.

An additional criterion has been identified for the second objective:

VI. Reach and maintain coho salmon population levels to allow for the resumption of tribal recreational, and commercial fisheries for coho salmon in California.

RECOVERY IMPLEMENTATION

The causes for the decline of coho salmon are many and complex. On the whole, the strategy for recovery of coho salmon involves:

- a. Interim and long-term actions;
- b. Equitable apportionment of both public and private support and action;
- c. Equitable apportionment of regulatory and nonregulatory obligations;
- d. Scientifically, technologically, and economically reasonable means;
- e. Best available scientific data;
- f. Financial investments; and
- g. Long-term commitment and efforts of all involved in coho watersheds.

With the aid of the CRT, the Department developed a recovery strategy that will be implemented at two geographic levels. The first level is a larger, range-wide resolution. The recovery strategy identifies recommendations for range-wide issues. The second level is within each watershed. The recovery strategy identifies recommendations that apply to specific watersheds. These two levels allow for acting on recommendations that are more universal in their application and for taking specific actions intended for issues specific to a watershed. In line with this second course, the Department established the Shasta-Scott Pilot Program (SSP), a unique endeavor within the Shasta and Scott watersheds were coho salmon occur. The SSP contains a detailed analysis of agricultural water and land use issues in the Shasta and Scott valleys and a detailed set of recommendations in reference to such uses for recovery. Non-agricultural water and land use issues are addressed in the statewide recommendations and/or watershed-specific recommendations for the Shasta and Scott watersheds.

Several central elements underlie all levels of implementation. Those elements include: coho salmon population and habitat protection and restoration; cooperation and collaboration between public and private entities; education and outreach; implementation and enforcement of existing laws; and improved land management.

Table of Contents

| 1 | Introduc | tion | 1-1 |
|---|----------|--|------|
| | 1.1 | STATE OF CALIFORNIA COHO SALMON LISTING ACTIONS | 1-1 |
| | 1.2 | FEDERAL COHO SALMON LISTING ACTIONS | 1-2 |
| | 1.3 | STRATEGIC PLANNING FOR RECOVERY | 1-3 |
| | | 1.3.1 FISH AND GAME COMMISSION ACTION | 1-3 |
| | | 1.3.2 CALIFORNIA STATEWIDE RECOVERY TEAM | 1-3 |
| | | 1.3.3 SHASTA-SCOTT RIVER RECOVERY TEAM | 1-4 |
| | | 1.3.4 FEDERAL TECHNICAL REVIEW TEAMS | 1-4 |
| | 1.4 | RECOVERY STRATEGY FOR COHO SALMON IN CALIFORNIA | 1-5 |
| | | 1.4.1 GENERAL GOALS | 1-5 |
| | | 1.4.2 ELEMENTS NECESSARY TO ACHIEVE RECOVERY GOALS | 1-6 |
| | | 1.4.3 IMPLEMENTATION | 1-7 |
| | | 1.4.3.1 Immediate Actions | 1-7 |
| | | 1.4.3.2 Longer Term Actions | 1-7 |
| | | 1.4.4 ADAPTIVE MANAGEMENT | 1-7 |
| 2 | Biology | | 2-1 |
| | 2.1 | RANGE | 2-1 |
| | 2.2 | EVOLUTIONARILY SIGNIFICANT UNITS | |
| | | 2.2.1 SOUTHERN OREGON/NORTHERN CALIFORNIA COAST COHO ESU | 2-5 |
| | | 2.2.2 CENTRAL CALIFORNIA COAST COHO ESU | |
| | 2.3 | LIFE HISTORY | 2-6 |
| | 2.4 | POPULATION STRUCTURE AND VIABILITY | 2-8 |
| | | 2.4.1 POPULATION STRUCTURE | 2-9 |
| | | 2.4.2 POPULATION VIABILITY | |
| | 2.5 | GENETICS | 2-11 |
| | 2.6 | HABITAT REQUIREMENTS | 2-17 |
| | | 2.6.1 HABITAT REQUIREMENTS FOR ADULTS | 2-17 |
| | | 2.6.1.1 Migration | 2-17 |
| | | 2.6.1.2 Spawning | 2-18 |
| | | 2.6.2 HABITAT REQUIREMENTS FOR JUVENILES | 2-19 |
| | | 2.6.2.1 Eggs and Alevin Incubation | 2-19 |
| | | 2.6.2.2 Fry Emergence | 2-20 |
| | | 2.6.2.3 Juvenile Rearing | 2-20 |
| | | 2.6.2.4 Emigration | 2-21 |
| | | | |

| | | 2.6.3 ESSENTIAL ESTUARINE HABITAT | 2-22 |
|---|---------|---|------|
| | | 2.6.4 SUMMARY OF ESSENTIAL HABITAT | 2-22 |
| | | 2.6.4.1 Stream Vegetation | 2-23 |
| | | 2.6.4.2 Large Woody Debris | 2-23 |
| | | 2.6.4.3 Sediment and Substrate | 2-25 |
| | | 2.6.4.4 Hydrological Regime | 2-25 |
| | | 2.6.4.5 Water Temperature | 2-25 |
| | | 2.6.4.6 Dissolved Oxygen | 2-26 |
| 3 | Threats | | 3-1 |
| | 3.1 | CLIMATIC VARIATION | 3-1 |
| | | 3.1.1 DROUGHT | 3-1 |
| | | 3.1.2 FLOODING | 3-2 |
| | | 3.1.3 OCEAN CONDITIONS | 3-2 |
| | 3.2 | DISEASE | 3-4 |
| | 3.3 | PREDATION | 3-4 |
| | | 3.3.1 FRESHWATER PREDATION | 3-4 |
| | | 3.3.2 MARINE PREDATION | 3-5 |
| | 3.4 | HATCHERIES | 3-6 |
| | 3.5 | GENETIC DIVERSITY | 3-6 |
| | 3.6 | LAND USE | 3-10 |
| | | 3.6.1 FORESTRY ACTIVITIES | 3-10 |
| | | 3.6.2 WATER DIVERSIONS AND FISH SCREENS | 3-11 |
| | | 3.6.3 INSTREAM FLOWS | 3-13 |
| | | 3.6.4 ARTIFICIAL BARRIERS | 3-14 |
| | | 3.6.5 GRAVEL EXTRACTION | 3-16 |
| | | 3.6.6 SUCTION DREDGING | 3-17 |
| | | 3.6.7 STREAMBED ALTERATION | 3-17 |
| | | 3.6.8 WATER QUALITY | 3-17 |
| | | 3.6.9 AGRICULTURAL IMPACTS | |
| | | 3.6.10 URBANIZATION | 3-21 |
| | | 3.6.11 FISHING | |
| | | 3.6.12 ILLEGAL HARVEST | 3-22 |
| 4 | Recover | y Goals and Delisting Criteria | 4-1 |
| | 4.1 | FRAMEWORK FOR DELISTING CRITERIA | 4-1 |
| | 4.2 | DELISTING REQUIREMENTS | 4-3 |
| | 4.2 | FRAMEWORK FOR RESTORATION OF FISHERIES | 4-8 |
| | | 4.2.1 RECREATIONAL FISHING | 4-9 |
| | | 4.2.2 COMMERCIAL FISHING | 4-10 |

| 5 | Element | s Nec | essary | for Recovery | 5-1 | | |
|---|---------|-------------------|--------------------|---|------|--|--|
| | 5.1 | ROLE | OF PUE | BLIC LANDS | 5-1 | | |
| | | 5.1.1 | FEDERA | AL LANDS | 5-1 | | |
| | | | 5.1.1.1 | U.S. Forest Service (USFS) | 5-2 | | |
| | | | 5.1.1.2 | U.S. Bureau of Land Management (BLM) | 5-2 | | |
| | | | 5.1.1.3 | U.S. National Park Service (NPS) | 5-7 | | |
| | | | 5.1.1.4 | U.S. Department of Defense (DOD) | 5-7 | | |
| | | | 5.1.1.5 | U.S. Fish & WildIfie Service (USFWS) | 5-7 | | |
| | | | 5.1.1.6 | U.S. Bureau of Reclamation (BOR) | 5-8 | | |
| | | 5.1.2 | STATE I | ANDS | 5-8 | | |
| | | 5.1.2 STATE LANDS | | | | | |
| | | | 5.1.2.1 | California Department of Parks and Recreation (DPR) | 5-8 | | |
| | | | 5.1.2.2 | California Department of Forestry and Fire Protection (CDF) | 5-8 | | |
| | | | 5.1.2.3 | California State Lands Commission (SLC) | 5-9 | | |
| | | | 5.1.2.4 | California Department of Fish and Game | 5-9 | | |
| | | 5.1.3 | COUNT | Y AND CITY LANDS | 5-10 | | |
| | 5.2 | PRIV | ATE AND | PUBLIC COOPERATION | 5-10 | | |
| | | 5.2.1 | EXISTIN | IG PROGRAMS | 5-10 | | |
| | | | 5.2.1.1 | Fisheries Restoration Grants Program | 5-10 | | |
| | | | 5.2.1.2 | Farm Bill Grants | 5-12 | | |
| | | | 5.2.1.3 | Watershed and Nonpoint Source Pollution Control Programs | 5-13 | | |
| | | | 5.2.1.4 | Other Programs | 5-15 | | |
| | | 5.2.2 | MINIMIZ | ING SOCIAL AND ECONOMIC IMPACTS | 5-15 | | |
| | | 5.2.3 | VOLUN | FARY INCENTIVES | 5-15 | | |
| | 5.3 | OUTF | REACH A | ND EDUCATION | 5-15 | | |
| | | 5.3.1 | RECOVI | ERY STRATEGY RECOMMENDATIONS | 5-16 | | |
| | | 5.3.2 | EDUCA ⁻ | TION AND OUTREACH PLAN | 5-16 | | |
| | | | 53.2.1 | School Curricula | 5-16 | | |
| | | | 5.3.2.2 | Interpretive Media | 5-17 | | |
| | 5.4 | ASSE | ESSMEN | T, MONITORING, AND RESEARCH | 5-18 | | |
| | | 5.4.1 | PROGR | AM FRAMEWORK | 5-18 | | |
| | | | 5.4.1.1 | Scientific Planning and Prioritization | 5-18 | | |
| | | | 5.4.1.2 | Evaluating Current Monitoring | 5-19 | | |
| | | | 5.4.1.3 | Data Management | 5-19 | | |
| | | | 5.4.1.4 | New Research | 5-21 | | |
| | | | 5.4.1.5 | Program Reporting | 5-21 | | |
| | | 5.4.2 | ASSES | SMENT | 5-21 | | |
| | | 5.4.3 | MONIT | ORING | 5-22 | | |
| | | | 5.4.3.1 | Three-tiered Monitoring Framework | 5-22 | | |
| | | | 5.4.3.2 | Monitoring of the Coho Salmon Monitoring Program | 5-24 | | |
| | | 5.4.4 | NEW R | ESEARCH | | | |
| | | 5.4.5 | COLLAE | SORATION AND PROGRAM PERFORMANCE | 5-26 | | |
| | | 5.4.6 | ASSESS | MENT, MONITORING, AND RESEARCH | 5-26 | | |

| 6 | Range-w | ride Re | comn | nendations | 6-1 |
|---|---------|--------------------------|---------|---|------|
| | 6.1 | STREA | AM FLO | W | 6-1 |
| | 6.2 | WATER | R RIGH | TS | 6-2 |
| | 6.3 | FISH PA | ASSAG | E | 6-3 |
| | 6.4 | POLLU ⁻ | TANTS | | 6-3 |
| | 6.5 | SEDIME | ENTS | | 6-4 |
| | 6.6 | WATER | R TEMP | ERATURE | 6-4 |
| | 6.7 | RECRU | JITMEN | T OF LARGE WOODY DEBRIS | 6-5 |
| | 6.8 | STREA | м сом | PLEXITY | 6-5 |
| | 6.9 | ECOLO | GICAL | REFUGIA | 6-5 |
| | 6.10 | HABITA | AT FRA | GMENTATION | 6-5 |
| | 6.11 | COMPE | ETITION | l | 6-5 |
| | 6.12 | GENET | ICS | | 6-6 |
| | 6.13 | RIPARI | AN VEC | GETATION | 6-6 |
| | 6.14 | LAND U | JSE | | 6-6 |
| | 6.15 | PUBLIC | OUTR | EACH | 6-7 |
| | 6.16 | INTEGF | RATION | WTIH OTHER PLANS AND PROGRAMS | 6-7 |
| | 6.17 | PERMIT | TTING . | | 6-7 |
| | 6.18 | WATER | RSHED | PLANNING | 6-8 |
| | 6.19 | ENFOR | CEME | NT OF EXISTING LAWS | 6-8 |
| | 6.20 | IMPLEN | /ENTA | TION | 6-9 |
| | 6.21 | INSTEA | AM GRA | VEL MINING | 6-10 |
| | | | | | |
| 7 | Watarah | nd Dag | ommo | endations | 7.4 |
| / | | | | | |
| | 7.1 | WATERSHED CLASSIFICATION | | | |
| | 7.2 | | | REGON/NORTHERN CALIFORNIA COASTS ESU | |
| | | 7.2.1 F | ROGUE | RIVER AND WINCHUCK RIVER HYDROLOGIC UNITS | |
| | | - | 7.2.1.1 | Illinois River HSA | |
| | | 7 | 7.2.1.2 | Winchuck River Hydrologic Unit / Winchuck River HSA | 7-9 |
| | | 7.2.2 | SMITH R | IVER HYDROLOGIC UNIT | 7-10 |
| | | 7 | 7.2.2.1 | Recommendations for the Smith River HU | |
| | | 7 | 7.2.2.2 | Mill Creek HSA | 7-11 |
| | | 7 | 7.2.2.3 | Wilson Creek HSA | |
| | | 7 | 7.2.2.4 | Smith River Plain HSA | |
| | | • | 7.2.2.5 | HSAs with No Recommendations | |
| | | 7.2.3 K | KLAMAT | H RIVER HU | 7-13 |
| | | 7 | 7.2.3.1 | Recommendations for the Klamath River HU | 7-14 |
| | | 7 | 7.2.3.2 | Klamath Glen HSA | |
| | | 7 | 7.2.3.3 | Orleans HSA | 7-16 |
| | | 7 | 7.2.3.4 | Ukonom HSA | 7-17 |
| | | 7 | 7.2.3.5 | Happy Camp HSA | 7-18 |
| | | 7 | 7236 | Seiad Valley HSA | 7-20 |

| | | 7.2.3.7 | Beaver Creek HSA | 7-21 |
|-----|--------|----------|--|------|
| | | 7.2.3.8 | HSAs with No Recommendations | 7-22 |
| | 7.2.4 | SALMON | I RIVER HYDROLOGIC AREA | 7-22 |
| | | 7.2.4.1 | Recommendations for the Salmon River HA | 7-25 |
| | | 7.2.4.2 | HSAs with No Recommendations | 7-26 |
| | 7.2.5 | SHASTA | VALLEY AND SCOTT RIVER HYDROLOGIC AREAS | 7-26 |
| | | 7.2.5.1 | Shasta Valley HA/HSA | 7-26 |
| | | 7.2.5.2 | Scott River HA | 7-29 |
| | | 7.2.5.3 | Recommendations for the Scott and Shasta Rivers (Non-agricultural) | 7-30 |
| | 7.2.6 | TRINITY | RIVER HYDROLOGIC UNIT | 7-34 |
| | | 7.2.6.1 | Trinity River HU Recommenations | 7-37 |
| | | 7.2.6.2 | Douglas Creek HSA | 7-37 |
| | | 7.2.6.3 | Grouse Creek HSA | 7-38 |
| | | 7.2.6.4 | Hyapom HSA | 7-38 |
| | | 7.2.6.5 | Hayfork HSA | 7-38 |
| | | 7.2.6.6 | HSAs with No Recommendations | 7-39 |
| | 7.2.7 | MAD RIV | ER HYDROLOGIC UNIT | 7-40 |
| | | 7.2.7.1 | Mad HU Recommenations | 7-43 |
| | | 7.2.7.2 | Blue Lake HSA and North Fork Mad HSA | 7-44 |
| | | 7.2.7.3 | HSAs with No Recommendations | 7-44 |
| | 7.2.8 | REDWO | OD CREEK HYDROLOGIC UNIT | 7-44 |
| | | 7.2.8.1 | Redwood Creek HU Recommenations | 7-47 |
| | | 7.2.8.2 | HSAs with No Recommendations | 7-48 |
| | 7.2.9 | TRINIDA | D PLAIN HYDROLOGIC UNIT | 7-48 |
| | | 7.2.9.1 | Trinidad Plain HU Recommenations | 7-49 |
| | | 7.2.9.2 | Big Lagoon HSA | 7-49 |
| | | 7.2.9.3 | Little River HSA | 7-49 |
| | 7.2.10 | EUREKA | PLAIN HYDROLOGIC UNIT | 7-50 |
| | 7.2.11 | EEL RIVE | ER HYDROLOGIC UNIT | 7-53 |
| | | 7.2.11.1 | Eel River HU Recommendations | 7-54 |
| | | 7.2.11.2 | Ferndale HSA | 7-54 |
| | | 7.2.11.3 | South Fork Eel River HSA | 7-57 |
| | | 7.2.11.4 | Weott HSA | 7-57 |
| | | 7.2.11.5 | Laytonville HSA | 7-58 |
| | | 7.2.11.6 | Outlet Creek HSA | 7-58 |
| | | 7.2.11.7 | HSAs with No Recommendations | 7-59 |
| | 7.2.12 | CAPE ME | ENDOCINO HYDROLOGIC UNIT | 7-62 |
| | | 7.2.12.1 | Recommendation for the Cape Mendocino HU | 7-65 |
| | | 7.2.12.2 | Mattole River HSA | 7-65 |
| | | 7.2.12.3 | HSAs with No Recommendations | 7-68 |
| 7.3 | CENT | RAL CAL | LIFORNIA COAST ESU | 7-68 |
| | 7.3.1 | MENDO | CINO COAST HYDROLOGIC UNIT | 7-68 |
| | | 7.3.1.1 | Mendocino Coast HU Recommendations | 7-73 |
| | | 7.3.1.2 | Albion River HSA | 7-75 |
| | | | | |

| | | | 7.3.1.3 | Big River HSA | 7-76 |
|---|----------|---------|----------|--|-------|
| | | | 7.3.1.4 | Garcia River HSA | 7-76 |
| | | | 7.3.1.5 | Navarro River HSA | 7-77 |
| | | | 7.3.1.6 | Noyo River HSA | 7-77 |
| | | | 7.3.1.7 | Ten Mile River HSA | 7-78 |
| | | | 7.3.1.8 | HSAs with No Recommendations | 7-78 |
| | | 7.3.2 | RUSSIA | N RIVER HYDROLOGIC UNIT | 7-79 |
| | | | 7.3.2.1 | Recommendations for the Russian River HU | 7-80 |
| | | | 7.3.2.2 | Russian River Mainstem | 7-84 |
| | | | 7.3.2.3 | Guerneville HSA | 7-84 |
| | | | 7.3.2.4 | Austin Creek HSA | 7-85 |
| | | | 7.3.2.5 | Warm Springs HSA | 7-85 |
| | | | 7.3.2.6 | Mark West Creek HSA | 7-86 |
| | | | 7.3.2.7 | Santa Rosa Creek HSA | 7-87 |
| | | | 7.3.2.8 | Forsythe Creek HSA | 7-88 |
| | | | 7.3.2.9 | Geyserville HSA | 7-88 |
| | | 7.3.3 | BODEG | A AND MARIN COASTAL HYDROLOGIC UNITS | 7-89 |
| | | | 7.3.3.1 | Bodega Marin Coastal HU Recommendations | 7-90 |
| | | | 7.3.3.2 | Salmon Creek HSA | 7-93 |
| | | | 7.3.3.3 | Walker Creek HSA | 7-93 |
| | | | 7.3.3.4 | Lagunitas Creek HSA | 7-94 |
| | | | 7.3.3.5 | Bolinas HSA | 7-96 |
| | | | 7.3.3.6 | HSAs with No Recommendations | 7-97 |
| | | 7.3.4 | SAN FR | ANCISCO BAY HYDROLOGIC UNITS | 7-97 |
| | | | 7.3.4.1 | Recommendations for San Francisco Bay HUs | 7-98 |
| | | | 7.3.4.2 | San Rafael HSA | 7-98 |
| | | | 7.3.4.3 | HSAs with No Recommendations | 7-98 |
| | | 7.3.5 | SAN MA | TEO COAST HYDROLOGIC UNIT | 7-101 |
| | | | 7.3.5.1 | Recommendations for San Mateo Coastal HU | 7-102 |
| | | | 7.3.5.2 | San Gregorio Creek HSA and Pescadero Creek HSA | 7-105 |
| | | | 7.3.5.3 | Año Nuevo (Gazos Creek) HSA | 7-106 |
| | | 7.3.6 | BIG BAS | SIN HYDROLOGIC UNIT | 7-106 |
| | | | 7.3.6.1 | Recommendations for the Big Basin HU | 7-110 |
| | | | 7.3.6.2 | Davenport HSA | 7-110 |
| | | | 7.3.6.3 | San Lorenzo River HSA | 7-111 |
| | | | 7.3.6.4 | Aptos-Soquel HSA | 7-112 |
| 8 | Shasta-S | Scott 1 | Pilot Pı | rogram | 8-1 |
| | 8.1 | FRAN | MEWORK | K FOR AGRICULTURAL ISSUES | 8-1 |
| | 8.2 | SHAS | STA-SCC | OTT PILOT PROGRAM RECOMMENDATIONS | 8-2 |
| | | 8.2.1 | WATER | MANAGEMENT RECOMMENDATIONS | 8-2 |
| | | | 8.2.1.1 | Emergency Water Plan | |
| | | | 8.2.1.2 | Verification of Water Diversions with Water Rights | |
| | | | 8.2.1.3 | Ramped Flows for Diversions | |
| | | | | | |

| | 8.2.1.4 | Pulse Flows | 8-5 |
|-------|----------|--|--------|
| | 8.2.1.5 | Using Unused Water and Water Rights for Instream Fish Flows | 8-5 |
| | 8.2.1.6 | Irrigation Rotation Program | 8-6 |
| | 8.2.1.7 | Install Head Gates and Measuring Devices on Diversions | 8-6 |
| | 8.2.1.8 | Water Availability Projections and Forecasts | 8-7 |
| | 8.2.1.9 | Instream flow Studies and Recommendations | 8-8 |
| | 8.2.1.10 | Groundwater Studies | 8-8 |
| | 8.2.1.11 | Water Balance Study | 8-9 |
| 8.2.2 | WATER | AUGMENTATION RECOMMENDATIONS | 8-10 |
| | 8.2.2.1 | Water Trust | 8-10 |
| | 8.2.2.2 | Study Additional Large Surface Water Storage | 8-11 |
| | 8.2.2.3 | Small Storage Opportunities | 8-11 |
| | 8.2.2.4 | Store Water with a Conjunctive Groundwater | |
| | | Use Program and Groundwater Recharge Ponds | . 8-12 |
| | 8.2.2.5 | Scott Valley Tailings Storage | . 8-12 |
| | 8.2.2.6 | Water Conveyance to Shasta Valey from Main Klamath | . 8-13 |
| | 8.2.2.7 | Acquiring Water Rghts | . 8-13 |
| 8.2.3 | HABITAT | MANAGEMENT RECOMMENDATIONS - SCOTT RIVER | . 8-14 |
| | 8.2.3.1 | Improvement of Summer and Winter Rearing Habitat – | |
| | | Lack of Habitat Complexity | 8-14 |
| | 8.2.3.2 | Improvement of Summer and Winter Rearing Habitat – | |
| | | High Water Temperatures | . 8-16 |
| | 8.2.3.3 | Improve Valley and Low-gradient Tributary Channel Structure and Function | 8-17 |
| | 8.2.3.4 | Barriers to Fish Passage | 8-18 |
| | 8.2.3.5 | Improvement of Spawning Habitat | 8-18 |
| 8.2.4 | HABITAT | MANAGEMENT RECOMMENDATIONS – SHASTA RIVER | . 8-19 |
| | 8.2.4.1 | Improvement of Rearing Habitat | . 8-19 |
| | 8.2.4.2 | Barriers to Fish Passage | . 8-20 |
| | 8.2.4.3 | Spawning Gravel Management | . 8-21 |
| | 8.2.4.4 | Riparian Vegetation Management | . 8-23 |
| | 8.2.4.5 | Water Temperature | . 8-24 |
| 8.2.5 | WATER | USE EFFICIENCY RECOMMENDATIONS | . 8-24 |
| | 8.2.5.1 | Stock Water Alternatives | . 8-25 |
| | 8.2.5.2 | Landowner Workshops | . 8-25 |
| | 8.2.5.3 | Ditch Lining and Piping | . 8-25 |
| | 8.2.5.4 | Ditch Repair and Cleaning | . 8-26 |
| | 8.2.5.5 | Irrigation System Efficiency | . 8-26 |
| | 8.2.5.6 | Cropping Changes | . 8-27 |
| | 8.2.5.7 | Tailwater Reclamation | . 8-28 |
| | 8.2.5.8 | Agricultural Water Conservation Best Management Practices | . 8-29 |
| 8.2.6 | PROTEC | TION RECOMMENDATIONS | . 8-29 |

| | | 8.2.7 MO | OTING | RING AND ASSESSMENT RECOMMENDATIONS | 8-32 |
|----|-----------|----------------------|--------|--|-------|
| | | 8.2 | 2.7.1 | Monitoring and Assessment: Habitat | 8-32 |
| | | 8.2 | 2.7.2 | Monitoring and Assessment: Coho Salmon Populations | 8-34 |
| | | 8.2 | 2.7.3 | Cooperative Efforts | 8-35 |
| | | 8.2.7 ED | UCAT | ION AND OUTREACH RECOMMENDATIONS | 8-36 |
| | 8.3 | ADMINIS ⁻ | TRAT | ION AND IMPLEMENTATION | 8-40 |
| 9 | Timefra | me and E | Econ | omics of Recovery | 9-1 |
| 10 | Impleme | entation . | | | 10-1 |
| | 10.1 | PRIORITI | IZATIO | ON OF WATERSHEDS | 10-1 |
| | | 10.1.1 GE | NERA | L PRINCIPLES | 10-2 |
| | | 10.1.2 PR | IORITI | ZATION PROCESS | 10-19 |
| | | 10. | 1.2.1 | Identify Refugia Watersheds and Risk of Extinction | 10-19 |
| | | 10. | 1.2.2 | Identify Restoration Potential | 10-19 |
| | | 10. | 1.2.3 | Identify Disconnected Habitats | 10-20 |
| | 10.2 | IMPLEME | ENTA | FION SCHEDULE AND COSTS | 10-21 |
| | 10.3 | FEASIBIL | .ITY | | 10-21 |
| | 10.4 | AVAILABI | ILITY | OF FUNDS | 10-21 |
| | 10.5 | RESPON | SIBLE | PARTIES | 10-21 |
| 11 | Process | for Revis | sing | the Recovery Strategy | 11-1 |
| | 11.1 | TIMETAB | BLE FO | OR REPORTING AND REVISION | 11-1 |
| | 11.2 | TIMETAB | BLE CL | ARIFYING NON-SPECIFIC LONG-TERM GOALS | 11-2 |
| | 11.3 | ADAPTIV | 'E MA | NAGEMENT | 11-3 |
| 12 | Reference | ees Cited | 1 | | 12-1 |

TABLE OF CONTENTS 8/15/03

viii

List of Tables

| TABLE 2-1 | 2-12 |
|---|---------|
| California streams for which coho salmon genetic tissue samples have been collected, analyzed, and reported, 1982 to the present | |
| TABLE 2-2 | 2-23 |
| Freshwater habitats of the different life stages of coho salmon | |
| TABLE 2-3 | 2-24 |
| Fundamental habitat elements and suitable ranges for coho salmon life stages | |
| TABLE 3-1 | 3-7 |
| Identified concerns about maintenance of existing genetic diversity and possible causes of reduction of genetic diversity in California coho salmon | |
| TABLE 3-2 | 3-9 |
| Guidelines for number of breeders per generation and number of breeders per year needed to maintain genetic diversity in populations of California coho salmon | |
| TABLE 3-3 | 3-12 |
| Forestry activities and potential effects to stream environment, salmonid habitat, and salmonid biology | |
| TABLE 3-4 | 3-15 |
| Major dams within the California portion of the Southern Oregon/ Northern California Coast Coho ESU that block coho salmon from accessing historical spawning and rearing habitat | |
| TABLE 3-5 | 3-16 |
| Major dams within the Central California Coast Coho ESU that block coho salmon from accessing historical spawning and rearing habitat | |
| TABLE 3- 6 | 3-18 |
| Clean Water Act Section 303(d) impaired water bodies within the range of coho salmon in California | |
| TABLE 5-1 | 5-21 |
| Partial outline of potential ecological and land management variables for coho salmon recovery strategy assessment, monitoring, and research | |
| TABLE 8-1 | 8-3 |
| Watersheds in the SONCC and CCC ESUs | |
| TABLE 10-1 | . 10-20 |

List of Figures

| FIGURE 2-1 | 2-3 |
|--|------|
| Coho Evolutionarily Significant Units in California | |
| FIGURE 2-2 | 2-6 |
| Calendar indicating the seasonal presence of coho salmon in California coastal watersheds | |
| FIGURE 2-3 | 2-14 |
| Dendrogram based on pairwise genetic distances (Cavalli-Sforza and Edwards 1967) between 26 samples of coho salmon from southern Oregon and California | |
| FIGURE 2-4 | 2-15 |
| Unrooted UPGMA phylogram showing chord distances (Cavalli-Sforza and Edwards 1967) among 33 California coho salmon populations after adjustments for admixture and family structure and pooling of homogeneous samples within drainages and sites | |
| FIGURE 2-5 | 2-16 |
| Unrooted UPGMA phylogram showing chord distances (Cavalli-Sforza and Edwards 1967) among 27 California coho salmon populations after adjustments for admixture and family structure, pooling of homogeneous samples within drainages and sites, and removal of Green Valley and Redwood Creek outliers shown in Figure 3-5 | |
| FIGURE 3-1 | 3-3 |
| Monthly values for the PDO index: Jan 1900—Apr 2003 | |
| FIGURE 5-1Land ownership in the SONCC ESU | 5-3 |
| FIGURE 5-2 | 5-5 |
| Land ownership in the CCC ESU | |
| FIGURE 7-1 Hydrologic units in California within the SONCC and CCC ESUs | 7-3 |
| FIGURE 7-2 | 7-5 |
| Rogue River and Klamath River Hydrologic Units | |
| FIGURE 7-3 | 7-7 |
| Winchuck River and Smith River Hydrologic Units | |

x TABLE OF CONTENTS 8/15/03

| FIGURE 7-4Salmon River Hydrologic ARea | . 7-23 |
|---|--------|
| FIGURE 7-5Shasta Valley HYdrologic Area | . 7-27 |
| FIGURE 7-6Scott River HYdrologic Area | . 7-31 |
| FIGURE 7-7Trinity River Hydrologic Unit | . 7-35 |
| FIGURE 7-8 Mad River Hydrologic Unit | . 7-41 |
| FIGURE 7-9Redwood Creek and Trinidad Plain Hydrologic UnitS | . 7-45 |
| FIGURE 7-10Eureka Plain Hydrologic Unit | . 7-51 |
| FIGURE 7-11Eel River Hydrologic Unit | . 7-55 |
| FIGURE 7-12 Cape Mendocino Hydrologic Unit | . 7-63 |
| FIGURE 7-13 Mendocino Coast Hydrologic Unit (North) | . 7-71 |
| FIGURE 7-14 Mendocino Coast Hydrologic Unit (South) | . 7-73 |
| FIGURE 7-15Russian River Hydrologic Unit | . 7-81 |
| FIGURE 7-16Bodega and Marin Coastal Hydrologic Units | . 7-91 |
| FIGURE 7-17San Francisco Bay Hydrologic Units | . 7-99 |
| FIGURE 7-17San Mateo Coast Hydrologic Unit | 7-103 |
| FIGURE 7-18Big Basin Hydrologic Unit | 7-109 |
| FIGURE 10-1 Consistent presence of Coho Salmon in the SONCC ESU | . 10-3 |
| FIGURE 10-2 Consistent presence of Coho Salmon in the CCC ESU | . 10-5 |
| FIGURE 10-3Risk of extinction in watersheds of the SONCC ESU | . 10-7 |

| FIGURE 10-4 | 10-9 |
|--|--------|
| Risk of extinction in watersheds of the CCC ESU | |
| FIGURE 10-5Restoration and management potential in the SONCC ESU | 10-11 |
| FIGURE 10-6Restoration and management potential in the CCC ESU | 10-13 |
| FIGURE 10-7 Disconnected habitats in the SONCC ESU | 10-15 |
| FIGURE 10-8 Disconnected habitats in the CCC ESU | 10-17 |
| FIGURE 11-1Adaptive management cycle | . 11-4 |

xii TABLE OF CONTENTS 8/15/03

List of Appendices

APPENDIX A: ABBREVIATIONS AND ACRONYMS

APPENDIX B: GLOSSARY

APPENDIX C: OTHER SPECIES AT RISK

APPENDIX D: EXISTING WATERSHED PROGAMS, GROUPS, AND RESOURCES

APPENDIX E: CALWATER UNITS

APPENDIX F: WATERSHED PRIORITIZATION